



**PROTECTOR**

**ISO 7380 SIMILAR**


TAMPER PROOF ROLLED THREAD

# Machine Screws

**Pin T-Drive® (6-Lobe) Button**

**A2 Stainless Steel**

**RoHS 2 Compliant**



Also available in Steel / Zinc Plated - See page 96

Further technical data is available on page 243



**PROTECTOR 4**

Thread	M1.6	M2	M2.5	M3	M3.5	M4	M5	M6	M8	Thread
Dia. Gauge	-	-	-	-	-	-	-	-	-	Dia. Gauge
d1 - max	-	-	-	5.70	6.60	7.60	9.50	10.50	14.00	d1 - max
k - max	-	-	-	1.65	1.90	2.20	2.75	3.30	4.40	k - max
s - A/F	-	-	-	-	-	-	-	-	-	s - A/F
Recess	-	-	-	T10	T15	T20	T25	T30	T40	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity   Weight (KG) per 1,000									L- Length mm
3										3
4										4
5										5
6										6
8						14,000   1,000   1.13				8
10						12,000   1,000   1.31		4,200   500   2.86		10
12						11,000   1,000   1.50		4,000   500   3.20		12
16							6,000   500   2.80	3,400   500   3.88		16
20						8,000   1,000   2.24	5,000   500   3.28	3,000   500   4.56		20
25							4,000   500   3.88	2,500   250   5.41		25
30								3,500   500   4.48		30
35										35
40										40
45										45
50										50
55										55
60										60
70										70
80										80
90										90
100										100

A2 Stainless Steel - preferred and available from stock.

PRODUCT CODE EXAMPLE

SSMSMPNTXBUT40016A2

PRODUCT DESCRIPTION EXAMPLE

M4 x 16 Pin T-Drive® Button PROTECTOR 4 ISO 7380 Machine Screw A2 Stainless Steel

T-Drive® is a registered trade mark of Lancaster Fastener Co Ltd. E. & O. E.

© 2021, Lancaster Fastener Co Ltd. All images are copyright protected.

180° & 360° NYLOK® Blue Patching service available. See page 267 for further detail.

NYLOK® is a registered trade mark of NYLOK®.



**PROTECTOR**

**DIN 7991 SIMILAR**


TAMPER PROOF ROLLED THREAD

# Machine Screws

**Pin T-Drive® (6-Lobe) Countersunk**

**A2 Stainless Steel**

RoHS 2 Compliant



Also available in Steel / Zinc Plated - See page 97



**PROTECTOR 4**

Further technical data is available on page 243

Thread	M1.6	M2	M2.5	M3	M3.5	M4	M5	M6	M8	Thread
Dia. Gauge	-	-	-	-	-	-	-	-	-	Dia. Gauge
d1 - max	-	-	-	6.00	7.00	8.00	10.00	12.00	16.00	d1 - max
k - ref	-	-	-	1.65	2.00	2.30	2.80	3.30	4.40	k - ref
s - A/F	-	-	-	-	-	-	-	-	-	s - A/F
Recess	-	-	-	T10	T15	T20	T25	T30	T40	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity   Weight (KG) per 1,000									L- Length mm
3										3
4										4
5										5
6										6
8										8
10						19,000   1,000   1.07	11,500   1,000   1.85	8,000   1,000   2.70		10
12							10,000   1,000   2.10	7,000   1,000   3.05		12
16						14,000   1,000   1.53		5,500   1,000   3.76		16
20								4,800   500   4.46		20
25						9,000   1,000   2.23		4,000   500   5.34		25
30								3,200   500   6.22		30
35										35
40								2,500   250   8.83		40
45										45
50										50
55										55
60										60
70										70
80										80
90										90
100										100

A2 Stainless Steel - preferred and available from stock.

PRODUCT CODE EXAMPLE

SSMSMPNTXCSK50020A2

PRODUCT DESCRIPTION EXAMPLE

M5 x 20 Pin T-Drive® Countersunk PROTECTOR 4 DIN 7991 Machine Screw A2 Stainless Steel

T-Drive® is a registered trade mark of Lancaster Fastener Co Ltd.

180° & 360° NYLOK® Blue Patching service available.

E. & O. E.

See page 267 for further detail.

© 2021, Lancaster Fastener Co Ltd. All images are copyright protected.

NYLOK® is a registered trade mark of NYLOK®.



**PROTECTOR**

**ISO 7380 SIMILAR**


TAMPER PROOF ROLLED THREAD

# Machine Screws

**Pin Hexagon Button**

**A2 Stainless Steel**

RoHS 2 Compliant



Further technical data is available on page 243



**PROTECTOR 7**

Thread	M1.6	M2	M2.5	M3	M3.5	M4	M5	M6	M8	Thread
Dia. Gauge	-	-	-	-	-	-	-	-	-	Dia. Gauge
d1 - max	-	-	-	5.70	6.60	7.60	9.50	10.50	14.00	d1 - max
k - max	-	-	-	1.70	1.90	2.20	2.80	3.30	4.40	k - max
s - A/F	-	-	-	-	-	-	-	-	-	s - A/F
Recess	-	-	-	2mm	2mm	2.5mm	3mm	4mm	5mm	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity   Weight (KG) per 1,000									L- Length mm
3										3
4										4
5										5
6										6
8										8
10						12,000   1,000   1.13				10
12								4,000   500   3.20		12
16										16
20							5,000   500   3.28	3,000   500   4.56		20
25										25
30						6,000   500   3.17				30
35										35
40										40
45										45
50										50
55										55
60										60
70										70
80										80
90										90
100										100

A2 Stainless Steel - preferred and available from stock.

PRODUCT CODE EXAMPLE

SSMSMPNHXBUT40012A2

PRODUCT DESCRIPTION EXAMPLE

M4 x 12 Pin Hexagon Button PROTECTOR 7 ISO 7380 Machine Screw A2 Stainless Steel

E. & O. E.

© 2021, Lancaster Fastener Co Ltd. All images are copyright protected.

180° & 360° NYLOK® Blue Patching service available.

See page 267 for further detail.

NYLOK® is a registered trade mark of NYLOK®.



**PROTECTOR**

**DIN 7981 SIMILAR**


TAMPER PROOF

# Self-Tapping Screws

**Pin T-Drive® (6-Lobe) Button**

**A2 Stainless Steel**

**RoHS 2 Compliant**



Also available in Steel / Zinc Plated - See page 98

Further technical data is available on page 244



**PROTECTOR 4**

Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	-	-	6.70	7.50	7.90	9.20	10.50	11.10	d1 - max
k - max	-	-	1.90	-	2.20	2.60	2.90	3.40	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	-	-	T10	-	T15	T25	T27	T27	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity   Weight (KG) per 1,000								L- Length ins
4.5									3/16
6.5									1/4
8									5/16
9.5									3/8
13									1/2
16									5/8
19					10,000   1,000   1.74				3/4
22									7/8
25					8,000   1,000   2.16	5,000   1,000   3.08			1
32						4,500   500   3.78			1 1/4
38									1 1/2
45									1 3/4
50									2
57									2 1/4
63									2 1/2
70									2 3/4
75									3

A2 Stainless Steel - preferred and available from stock.

PRODUCT CODE EXAMPLE

SSABPNTXBUT35095A2

PRODUCT DESCRIPTION EXAMPLE

3.5 x 9.5 Pin T-Drive® Button PROTECTOR 4 Type C DIN 7981 similar Self-Tapping Screw A2 Stainless Steel

T-Drive® is a registered trade mark of Lancaster Fastener Co Ltd.  
E. & O. E.

© 2021, Lancaster Fastener Co Ltd. All images are copyright protected.