

**LANCASTER**


METRIC

Thread Forming Screws

FOR PLASTICS

**PLAS-TECH® 30°****T-Drive® (6-Lobe) Countersunk****Steel / Zinc Plated (CR3) & Steel / Black (CR3)**

RoHS 2 Compliant



Also available in A2 Stainless Steel - See page 193

Further technical data is available on page 246

Dia. D	2.2	2.5	3	3.5	4	5	6	-	Dia. D	
Dia. Gauge	-	-	-	-	-	-	-	-	Dia. Gauge	
d1 - max	3.80	4.70	5.50	7.30	8.40	9.30	11.30	-	d1 - max	
k - ref	1.30	1.75	2.05	2.80	3.25	3.40	3.80	-	k - ref	
s - A/F	-	-	-	-	-	-	-	-	s - A/F	
Recess	T6	T8	T8	T15	T20	T20	T30	-	Recess	
L- Length mm	Bulk Carton Quantity Small Box Quantity Weight (KG) per 1,000								L- Length mm	
5									5	
6	125,000 1,000 0.13	100,000 1,000 0.17	70,000 1,000 0.40					6		
8	80,000 1,000 0.23	55,000 1,000 0.44					8			
10	60,000 1,000 0.27	40,000 1,000 0.52	26,000 1,000 0.52	20,000 1,000 1.00				10		
12			35,000 1,000 0.56	23,000 1,000 0.70	17,000 1,000 1.07				12	
14					16,000 1,000 0.80	12,000 1,000 1.27	9,000 1,000 1.62			14
16			25,000 1,000 0.58							16
18									18	
20			17,000 1,000 0.62	13,000 1,000 0.90	9,000 1,000 1.37	7,500 1,000 1.90				20
25									25	
30									30	
-									-	
-									-	
-									-	
-									-	
-									-	

Zinc Plated (CR3) - preferred and available from stock.
 Black (CR3) - non preferred and subject to a lead time and MOQ (2.5mm and above).

Zinc Plated (CR3) & Black (CR3) - preferred and available from stock.

See page 267 for further detail.

PRODUCT CODE EXAMPLE

PSBPTXCSK30010ZC
 PSBPTXCSK40016ZN

PRODUCT DESCRIPTION EXAMPLE

3 x 10 T-Drive® Countersunk Plas-Tech® 30° Screw Steel / Zinc Plated (CR3)
 4 x 16 T-Drive® Countersunk Plas-Tech® 30° Screw Steel / Black (CR3)

Plas-Tech® and T-Drive® are registered trade marks of Lancaster Fastener Co Ltd.

E. & O. E.

© 2021, Lancaster Fastener Co Ltd. All images are copyright protected.