




Micro Diameter

THREAD ROLLING SCREWS FOR PLASTICS



Cross Recess (H) Pan
Steel / Zinc Plated (CR3) & Steel / Black (CR3)
RoHS 2 Compliant



TYPE P

Further technical data is available on page 252

Dia. D _{max}	1.4			1.6			2.0			2.3			2.6			Dia. D _{max}		
	Pitch			0.5			0.64			0.79			0.91				1.06	
Dia. C _{max}	1.46			1.66			2.12			2.43			2.73			Dia. C _{max}		
	Head Type	TYPE 1	TYPE 2	TYPE 3	TYPE 1	TYPE 2	TYPE 3	TYPE 1	TYPE 2	TYPE 3	TYPE 1	TYPE 2	TYPE 3	TYPE 1	TYPE 2		TYPE 3	Head Type
d1 _{max}	2.00	2.50	2.50	2.40	2.80	2.80	3.00	3.50	3.50	3.50	4.00	4.00	4.00	4.50	4.50	4.50	d1 _{max}	
k _{max}	0.50	0.50	0.80	0.55	0.55	0.85	0.60	0.60	1.00	0.70	0.70	1.10	0.80	0.80	1.20	1.20	k _{max}	
Recess	0			0			0			0			0			Recess		
L- Length mm	Bulk Carton Quantity Small Box Quantity Weight (KG) per 1,000															L- Length mm		
	3	N/A	1,000	0.03	N/A	1,000	0.04	N/A	1,000	0.09	N/A	1,000	0.13	N/A	1,000		0.26	3
4	N/A	1,000	0.04	N/A	1,000	0.06	N/A	1,000	0.09	N/A	1,000	0.12	N/A	1,000	0.26	4		
5	N/A	1,000	0.05	N/A	1,000	0.08	N/A	1,000	0.11	N/A	1,000	0.13	N/A	1,000	0.26	5		
6	N/A	1,000	0.05	N/A	1,000	0.08	N/A	1,000	0.12	N/A	1,000	0.19	N/A	1,000	0.26	6		
8	N/A	1,000	0.08	N/A	1,000	0.13	N/A	1,000	0.13	N/A	1,000	0.19	N/A	1,000	0.26	8		
10	N/A	1,000	0.15	N/A	1,000	0.15	N/A	1,000	0.23	N/A	1,000	0.23	N/A	1,000	0.26	10		
12	N/A	1,000	0.26	N/A	1,000	0.26	N/A	1,000	0.26	N/A	1,000	0.26	N/A	1,000	0.26	12		

☐ Zinc Plated (CR3) - preferred and available from stock. See page 267 for further detail.

PRODUCT CODE EXAMPLE	PRODUCT DESCRIPTION EXAMPLE
MI-JSP1HPAN16004ZC	1.6 x 4 Cross Recess (H) Pan Type 1 JCIS Type P Steel / Zinc Plated (CR3)



LANCASTER

JCIS


Micro Diameter

THREAD ROLLING SCREWS FOR PLASTICS

Cross Recess (H) Countersunk

Steel / Zinc Plated (CR3) & Steel / Black (CR3)

RoHS 2 Compliant



TYPE P

Further technical data is available on page 252

Di _a D _{max}	1.4		1.6		2.0		2.3		2.6		Di _a D _{max}
Pitch	0.5		0.64		0.79		0.91		1.06		Pitch
Di _a C _{max}	1.46		1.66		2.12		2.43		2.73		Di _a C _{max}
Head Type	TYPE 1	TYPE 3	TYPE 1	TYPE 3	TYPE 1	TYPE 3	TYPE 1	TYPE 3	TYPE 1	TYPE 3	Head Type
d1 - max	2.00	2.50	2.40	2.80	3.00	3.50	3.50	4.00	4.00	4.50	d1 - max
k - ref	0.45	0.70	0.50	0.80	0.60	0.90	0.70	1.00	0.80	1.10	k - ref
Recess	0		0		0		0		0		Recess
L- Length mm	Bulk Carton Quantity Small Box Quantity Weight (KG) per 1,000										L- Length mm
3											3
4			N/A 1,000 0.04				N/A 1,000 0.10				4
5			N/A 1,000 0.05				N/A 1,000 0.11				5
6	N/A 1,000 0.05										6
8					N/A 1,000 0.12				N/A 1,000 0.22		8
10							N/A 1,000 0.21				10
12											12

Zinc Plated (CR3) - preferred and available from stock.

See page 267 for further detail.

PRODUCT CODE EXAMPLE

MI-JSP1HCSK20008ZC

PRODUCT DESCRIPTION EXAMPLE

2.0 x 8 Cross Recess (H) Countersunk Type 1 JCIS Type P Steel / Zinc Plated (CR3)

E. & O. E.

© 2021, Lancaster Fastener Co Ltd. All images are copyright protected.

t: +44 (0) 1524 389 232

f: +44 (0) 1524 66367

enquiries@lancasterfastener.co.uk

www.lancasterfastener.com

Carbon Steel Product Ranges

Stainless Steel Product Ranges

Brass Product Ranges

Technical Data




Micro Diameter

THREAD ROLLING SCREWS FOR METAL



Cross Recess (H) Pan
Steel / Zinc Plated (CR3) & Lubricated
RoHS 2 Compliant



Further technical data is available on page 253

TYPE S																Further technical data is available on page 253	
Dia. D _{max}	M1.4			M1.6			M1.7			M2.0			M2.3			Dia. D _{max}	
Pitch	0.3			0.35			0.35			0.4			0.4			Pitch	
Dia. C _{max}	1.43			1.63			1.73			2.04			2.34			Dia. C _{max}	
Head Type	TYPE 1	TYPE 2	TYPE 3	TYPE 1	TYPE 2	TYPE 3	TYPE 1	TYPE 2	TYPE 3	TYPE 1	TYPE 2	TYPE 3	TYPE 1	TYPE 2	TYPE 3	Head Type	
d1 _{max}	2.00	2.50	2.50	2.40	2.80	2.80	2.50	3.00	3.00	3.00	3.50	3.50	3.50	4.00	4.00	d1 _{max}	
k _{max}	0.50	0.50	0.80	0.55	0.55	0.85	0.50	0.50	0.90	0.60	0.60	1.00	0.70	0.70	1.10	k _{max}	
Recess	0			0			0			0			0			Recess	
L- Length mm	Bulk Carton Quantity Small Box Quantity Weight (KG) per 1,000														L- Length mm		
3			N/A 1,000 0.05						N/A 1,000 0.07							3	
4			N/A 1,000 0.05						N/A 1,000 0.08							4	
5			N/A 1,000 0.06						N/A 1,000 0.10			N/A 1,000 0.14				5	
6			N/A 1,000 0.07						N/A 1,000 0.11							6	
8												N/A 1,000 0.19				8	
10												N/A 1,000 0.22				10	
12																12	

Zinc Plated (CR3) - preferred and available from stock

PRODUCT CODE EXAMPLE

MI-JSS3HPAN20005ZC

PRODUCT DESCRIPTION EXAMPLE

M2 x 5 Cross Recess (H) Pan Type 3 JCIS Type S Steel / Zinc Plated (CR3)

E. & O. E.

© 2021, Lancaster Fastener Co Ltd. All images are copyright protected.



LANCASTER


JCIS

Cross Recess (H) Countersunk
Steel / Zinc Plated (CR3) & Lubricated

Micro Diameter

THREAD ROLLING SCREWS FOR METAL

RoHS 2 Compliant



TYPE S

Further technical data is available on page 253

Di _a D _{max}	M1.4		M1.6		M1.7		M2.0		M2.3		Di _a D _{max}
Pitch	0.3		0.35		0.35		0.4		0.4		Pitch
Di _a C _{max}	1.43		1.63		1.73		2.04		2.34		Di _a C _{max}
Head Type	TYPE 1	TYPE 3	TYPE 1	TYPE 3	TYPE 1	TYPE 3	TYPE 1	TYPE 3	TYPE 1	TYPE 3	Head Type
d1 - max	2.00	2.50	2.40	2.80	2.50	3.00	3.00	3.50	3.50	4.00	d1 - max
k _{ref}	0.45	0.70	0.50	0.80	0.50	0.80	0.60	0.90	0.70	1.00	k _{ref}
Recess	0		0		0		0		0		Recess
L- Length mm	Bulk Carton Quantity Small Box Quantity Weight (KG) per 1,000										L- Length mm
3											3
4											4
5											5
6											6
8											8
10											10
12											12

Zinc Plated (CR3) - preferred and available from stock.

PRODUCT CODE EXAMPLE

M1-JSS3HCSK17006ZC

PRODUCT DESCRIPTION EXAMPLE

M1.7 x 6 Cross Recess (H) Countersunk Type 3 JCIS Type S Steel / Zinc Plated (CR3)

E. & O. E.

© 2021, Lancaster Fastener Co Ltd. All images are copyright protected.

t: +44 (0) 1524 389 232

f: +44 (0) 1524 66367

enquiries@lancasterfastener.co.uk

www.lancasterfastener.com

Carbon Steel Product Ranges

Stainless Steel Product Ranges

Brass Product Ranges


Technical Data

Micro Diameter

Cross Recess (H) Pan Steel / Black (CR3)

THREAD ROLLING SCREWS FOR PLASTICS

RoHS 2 Compliant



Further technical data is available on page 252

TYPE B																																																																																																	
Dia. D _{max}	1.4			1.6			1.7			2.0			2.3			2.6			Dia. D _{max}																																																																														
Pitch	0.45			0.5			0.5			0.64			0.79			0.91			Pitch																																																																														
Dia. C _{max}	1.43			1.63			1.73			2.04			2.34			2.64			Dia. C _{max}																																																																														
Head Type	TYPE 1	TYPE 2	TYPE 3	TYPE 1	TYPE 2	TYPE 3	TYPE 1	TYPE 2	TYPE 3	TYPE 1	TYPE 2	TYPE 3	TYPE 1	TYPE 2	TYPE 3	TYPE 1	TYPE 2	TYPE 3	Head Type																																																																														
d1 - max	2.00	2.50	2.50	2.40	2.80	2.80	2.50	3.00	3.00	3.00	3.50	3.50	3.50	4.00	4.00	4.00	4.50	4.50	d1 - max																																																																														
k - max	0.50	0.50	0.80	0.55	0.55	0.85	0.50	0.50	0.90	0.60	0.60	1.00	0.70	0.70	1.10	0.80	0.80	1.20	k - max																																																																														
Recess	0			0			0			0			0			0			Recess																																																																														
L- Length mm	<table border="1"> <thead> <tr> <th colspan="3">Bulk Carton Quantity</th> <th colspan="3">Small Box Quantity</th> <th colspan="3">Weight (KG) per 1,000</th> </tr> </thead> <tbody> <tr> <td>3</td><td>N/A</td><td>1,000 0.05</td> <td>N/A</td><td>1,000 0.05</td> <td>N/A</td><td>1,000 0.07</td> <td>3</td><td>N/A</td><td>1,000 0.07</td> </tr> <tr> <td>4</td><td>N/A</td><td>1,000 0.06</td> <td>N/A</td><td>1,000 0.06</td> <td>N/A</td><td>1,000 0.12</td> <td>4</td><td>N/A</td><td>1,000 0.12</td> </tr> <tr> <td>5</td><td>N/A</td><td>1,000 0.06</td> <td>N/A</td><td>1,000 0.10</td> <td>N/A</td><td>1,000 0.14</td> <td>5</td><td>N/A</td><td>1,000 0.25</td> </tr> <tr> <td>6</td><td>N/A</td><td>1,000 0.06</td> <td>N/A</td><td>1,000 0.08</td> <td>N/A</td><td>1,000 0.14</td> <td>6</td><td>N/A</td><td>1,000 0.27</td> </tr> <tr> <td>8</td><td>N/A</td><td>1,000 0.10</td> <td>N/A</td><td>1,000 0.10</td> <td>N/A</td><td>1,000 0.18</td> <td>8</td><td>N/A</td><td>1,000 0.25</td> </tr> <tr> <td>10</td><td>N/A</td><td>1,000 0.20</td> <td>N/A</td><td>1,000 0.20</td> <td>N/A</td><td>1,000 0.29</td> <td>10</td><td>N/A</td><td>1,000 0.29</td> </tr> <tr> <td>12</td><td>N/A</td><td>1,000 0.20</td> <td>N/A</td><td>1,000 0.20</td> <td>N/A</td><td>1,000 0.29</td> <td>12</td><td>N/A</td><td>1,000 0.29</td> </tr> </tbody> </table>																	Bulk Carton Quantity			Small Box Quantity			Weight (KG) per 1,000			3	N/A	1,000 0.05	N/A	1,000 0.05	N/A	1,000 0.07	3	N/A	1,000 0.07	4	N/A	1,000 0.06	N/A	1,000 0.06	N/A	1,000 0.12	4	N/A	1,000 0.12	5	N/A	1,000 0.06	N/A	1,000 0.10	N/A	1,000 0.14	5	N/A	1,000 0.25	6	N/A	1,000 0.06	N/A	1,000 0.08	N/A	1,000 0.14	6	N/A	1,000 0.27	8	N/A	1,000 0.10	N/A	1,000 0.10	N/A	1,000 0.18	8	N/A	1,000 0.25	10	N/A	1,000 0.20	N/A	1,000 0.20	N/A	1,000 0.29	10	N/A	1,000 0.29	12	N/A	1,000 0.20	N/A	1,000 0.20	N/A	1,000 0.29	12	N/A	1,000 0.29	L- Length mm
Bulk Carton Quantity			Small Box Quantity			Weight (KG) per 1,000																																																																																											
3	N/A	1,000 0.05	N/A	1,000 0.05	N/A	1,000 0.07	3	N/A	1,000 0.07																																																																																								
4	N/A	1,000 0.06	N/A	1,000 0.06	N/A	1,000 0.12	4	N/A	1,000 0.12																																																																																								
5	N/A	1,000 0.06	N/A	1,000 0.10	N/A	1,000 0.14	5	N/A	1,000 0.25																																																																																								
6	N/A	1,000 0.06	N/A	1,000 0.08	N/A	1,000 0.14	6	N/A	1,000 0.27																																																																																								
8	N/A	1,000 0.10	N/A	1,000 0.10	N/A	1,000 0.18	8	N/A	1,000 0.25																																																																																								
10	N/A	1,000 0.20	N/A	1,000 0.20	N/A	1,000 0.29	10	N/A	1,000 0.29																																																																																								
12	N/A	1,000 0.20	N/A	1,000 0.20	N/A	1,000 0.29	12	N/A	1,000 0.29																																																																																								

Black (CR3) - preferred and available from stock.

PRODUCT CODE EXAMPLE

MI-JSB3HPAN16003BL

PRODUCT DESCRIPTION EXAMPLE

1.6 x 3 Cross Recess (H) Pan Type 3 JCIS Type B Steel / Black (CR3)

E. & O. E.

© 2021, Lancaster Fastener Co Ltd. All images are copyright protected.



LANCASTER

JCIS


Cross Recess (H) Countersunk

Steel / Black (CR3)

RoHS 2 Compliant

Micro Diameter

THREAD ROLLING SCREWS FOR PLASTICS



TYPE B

Further technical data is available on page 252

Di _{max}	1.4		1.6		1.7		2.0		2.3		2.6		Di _{max}
Pitch	0.45		0.5		0.5		0.64		0.79		0.91		Pitch
Di _{Cmax}	1.43		1.63		1.73		2.04		2.34		2.64		Di _{Cmax}
Head Type	TYPE 1	TYPE 3	TYPE 1	TYPE 3	TYPE 1	TYPE 3	TYPE 1	TYPE 3	TYPE 1	TYPE 3	TYPE 1	TYPE 3	Head Type
d1 - max	2.00	2.50	2.40	2.80	2.50	3.00	3.00	3.50	3.50	4.00	4.00	4.50	d1 - max
k - ref	0.45	0.70	0.50	0.80	0.50	0.80	0.60	0.90	0.70	1.0	0.80	1.10	k - ref
Recess	0		0		0		0		0		0		Recess
L- Length mm	Bulk Carton Quantity Small Box Quantity Weight (KG) per 1,000												L- Length mm
3	N/A 1,000 0.03		N/A 1,000 0.04		N/A 1,000 0.04		N/A 1,000 0.06		N/A 1,000 0.08		N/A 1,000 0.13		3
4	N/A 1,000 0.04		N/A 1,000 0.05		N/A 1,000 0.06		N/A 1,000 0.07		N/A 1,000 0.09		N/A 1,000 0.16		4
5	N/A 1,000 0.04		N/A 1,000 0.06		N/A 1,000 0.07		N/A 1,000 0.09		N/A 1,000 0.12		N/A 1,000 0.21		5
6	N/A 1,000 0.05		N/A 1,000 0.07		N/A 1,000 0.09		N/A 1,000 0.12		N/A 1,000 0.18		N/A 1,000 0.29		6
8	N/A 1,000 0.05		N/A 1,000 0.07		N/A 1,000 0.09		N/A 1,000 0.12		N/A 1,000 0.18		N/A 1,000 0.29		8
10	N/A 1,000 0.05		N/A 1,000 0.07		N/A 1,000 0.09		N/A 1,000 0.12		N/A 1,000 0.18		N/A 1,000 0.29		10
12	N/A 1,000 0.05		N/A 1,000 0.07		N/A 1,000 0.09		N/A 1,000 0.12		N/A 1,000 0.18		N/A 1,000 0.29		12

Black (CR3) - preferred and available from stock.

PRODUCT CODE EXAMPLE

MI-JSB3HCSK14003BL

PRODUCT DESCRIPTION EXAMPLE

1.4 x 3 Cross Recess (H) Countersunk Type 3 JCIS Type B Steel / Black (CR3)

E. & O. E.

© 2021, Lancaster Fastener Co Ltd. All images are copyright protected.

t: +44 (0) 1524 389 232

f: +44 (0) 1524 66367

enquiries@lancasterfastener.co.uk

www.lancasterfastener.com

Carbon Steel Product Ranges

Stainless Steel Product Ranges

Brass Product Ranges

Technical Data



Micro Diameter


MACHINE SCREWS - GRADE 4.8



Cross Recess (Z) Pan

Steel / Zinc Plated (CR3) & Steel / Black (CR3)

RoHS 2 Compliant



Also available in A2 Stainless Steel - See page 200

Further technical data is available on page 253

Thread	M1.6	M2	M2.5	-	-	-	-	-	-	Thread
Dia. Gauge	-	-	-	-	-	-	-	-	-	Dia. Gauge
d1 - max	3.20	4.00	5.00	-	-	-	-	-	-	d1 - max
k - max	1.42	1.72	2.12	-	-	-	-	-	-	k - max
s - A/F	-	-	-	-	-	-	-	-	-	s - A/F
Recess	0	1	1	-	-	-	-	-	-	Recess

L- Length mm	Bulk Carton Quantity			Small Box Quantity			Weight (KG) per 1,000			L- Length mm
	Qty	Net Wt	Gross Wt	Qty	Net Wt	Gross Wt	Qty	Net Wt	Gross Wt	
3	222,000	1,000	0.08	156,000	1,000	0.15				3
4	200,000	1,000	0.09	125,000	1,000	0.17	60,000	1,000	0.33	4
5		100,000	1,000	0.19	55,000	1,000	0.35			5
6	167,000	1,000	0.12	87,000	1,000	0.21	53,000	1,000	0.39	6
8	143,000	1,000	0.14	67,000	1,000	0.25	41,000	1,000	0.44	8
10		60,000	1,000	0.29	34,000	1,000	0.50			10
12		50,000	1,000	0.32	33,000	1,000	0.58			12
16		50,000	1,000	0.38	27,000	1,000	0.67			16
20		30,000	1,000	0.44	24,000	1,000	0.79			20
25				18,000	1,000	0.94				25
30										30
35										35
40										40
45										45
50										50
55										55
60										60
70										70
80										80
90										90
100										100

Zinc Plated (CR3) - preferred and available from stock.
Black (CR3) - non preferred and subject to a lead time and MOQ (M2.5 and above).

See page 267 for further detail.

PRODUCT CODE EXAMPLE

MSMZPAN20020ZC
MSMZPAN25016ZN

PRODUCT DESCRIPTION EXAMPLE

M2 x 20 Cross Recess (Z) Pan DIN 7985 Micro Screw Grade 4.8 Steel / Zinc Plated (CR3)
M2.5 x 16 Cross Recess (Z) Pan DIN 7985 Micro Screw Grade 4.8 Steel / Black (CR3)

E. & O. E.

© 2021, Lancaster Fastener Co Ltd. All images are copyright protected.

180° & 360° NYLOK® Blue Patching service available on M2 dia. and above.

See page 267 for further detail.

NYLOK® is a registered trade mark of NYLOK®.




Cross Recess (Z) Countersunk

Steel / Zinc Plated (CR3) & Steel / Black (CR3)

RoHS 2 Compliant

Micro Diameter

MACHINE SCREWS - GRADE 4.8



Also available in A2 Stainless Steel - See page 201

Further technical data is available on page 253

Table with columns for Thread (M1.6, M2, M2.5, etc.), Dia. Gauge, d1-max, k-ref, s-A/F, Recess, L-Length mm, Bulk Carton Quantity, Small Box Quantity, Weight (KG) per 1,000.

Zinc Plated (CR3) - preferred and available from stock. Black (CR3) - non preferred and subject to a lead time and MOQ (M2.5 and above). See page 267 for further detail.

Table with columns for PRODUCT CODE EXAMPLE and PRODUCT DESCRIPTION EXAMPLE. Examples include MSMZCSK25008ZC and MSMZCSK25010ZN.

180° & 360° NYLOK® Blue Patching service available on M2 dia. and above. See page 267 for further detail. © 2021, Lancaster Fastener Co Ltd. All images are copyright protected. NYLOK® is a registered trade mark of NYLOK®.

Carbon Steel Product Ranges

Stainless Steel Product Ranges

Brass Product Ranges

Technical Data




Micro Diameter

MACHINE SCREWS - GRADE 4.8

T-Drive® (6-Lobe) Pan

Steel / Zinc Plated (CR3) & Steel / Black (CR3)

RoHS 2 Compliant



Also available in A2 Stainless Steel - See page 202

Further technical data is available on page 253

Thread	M1.6	M2	M2.5	-	-	-	-	-	-	Thread
Dia. Gauge	-	-	-	-	-	-	-	-	-	Dia. Gauge
d1 - max	3.20	4.00	5.00	-	-	-	-	-	-	d1 - max
k - max	1.42	1.72	2.12	-	-	-	-	-	-	k - max
s - A/F	-	-	-	-	-	-	-	-	-	s - A/F
Recess	T5	T6	T8	-	-	-	-	-	-	Recess
L- Length mm	Bulk Carton Quantity Small Box Quantity Weight (KG) per 1,000									L- Length mm
3	222,000 1,000 0.28									3
4	200,000 1,000 0.28	125,000 1,000 0.27	60,000 1,000 0.34							4
5	182,000 1,000 0.28	100,000 1,000 0.28	55,000 1,000 0.36							5
6	167,000 1,000 0.29	87,000 1,000 0.28	53,000 1,000 0.37							6
8	143,000 1,000 0.29	67,000 1,000 0.29	41,000 1,000 0.43							8
10		60,000 1,000 0.31	34,000 1,000 0.49							10
12		50,000 1,000 0.32	35,000 1,000 0.55							12
16		50,000 1,000 0.33	27,000 1,000 0.59							16
20			24,000 1,000 0.65							20
25			18,000 1,000 0.70							25
30										30
35										35
40										40
45										45
50										50
55										55
60										60
70										70
80										80
90										90
100										100

Zinc Plated (CR3) - preferred and available from stock.
 Zinc Plated (CR3) & Black (CR3) - preferred and available from stock.
 Black (CR3) - non preferred and subject to a lead time and MOQ (M2.5 and above).
 See page 267 for further detail.

PRODUCT CODE EXAMPLE	PRODUCT DESCRIPTION EXAMPLE
MSMTPRAN20012ZC	M2 x 12 T-Drive® Pan DIN 7985 Micro Screw Grade 4.8 Steel / Zinc Plated (CR3)
MSMTPRAN25008ZN	M2.5 x 8 T-Drive® Pan DIN 7985 Micro Screw Grade 4.8 Steel / Black (CR3)

T-Drive® is a registered trade mark of Lancaster Fastener Co Ltd. 180° & 360° NYLOK® Blue Patching service available on M2 dia. and above.
 E. & O. E. See page 267 for further detail.
 © 2021, Lancaster Fastener Co Ltd. All images are copyright protected. NYLOK® is a registered trade mark of NYLOK®.



LANCASTER


DIN 965

T-Drive® (6-Lobe) Countersunk Steel / Zinc Plated (CR3) & Steel / Black (CR3)

Micro Diameter

MACHINE SCREWS - GRADE 4.8

RoHS 2 Compliant



Also available in A2 Stainless Steel - See page 203

Further technical data is available on page 253

Table with columns for Thread (M1.6, M2, M2.5, etc.), Dia. Gauge, d1-max, k-ref, s-A/F, Recess (T5, T6, T8), L-Length mm, Bulk Carton Quantity, Small Box Quantity, Weight (KG) per 1,000.

Zinc Plated (CR3) - preferred and available from stock. Black (CR3) - non preferred and subject to a lead time and MOQ (M2.5 and above). Zinc Plated (CR3) & Black (CR3) - preferred and available from stock. See page 267 for further detail.

Table with columns: PRODUCT CODE EXAMPLE, PRODUCT DESCRIPTION EXAMPLE. Examples include MSMTDRCSK25005ZC and M2.5 x 5 T-Drive® Countersunk DIN 965 Micro Screw Grade 4.8 Steel / Zinc Plated (CR3).

T-Drive® is a registered trade mark of Lancaster Fastener Co Ltd. 180° & 360° NYLOK® Blue Patching service available on M2 dia. and above. E. & O. E. See page 267 for further detail. © 2021, Lancaster Fastener Co Ltd. All images are copyright protected. NYLOK® is a registered trade mark of NYLOK®.

Carbon Steel Product Ranges

Stainless Steel Product Ranges

Brass Product Ranges

Technical Data