


# Self-Drilling Screws

**Cross Recess (H) Pan**  
**Steel / Zinc Plated (CR3) & Steel / Black (CR3)**  
 RoHS 2 Compliant



Also available in A2 Stainless Steel - See page 162

Further technical data is available on page 237

FORM N									
Dia. mm	2.9	3.5	3.9	4.2	4.8	5.5	6.3	-	Dia. mm
Dia. Gauge	4	6	7	8	10	12	14	-	Dia. Gauge
d1 - max	5.60	6.90	7.50	8.20	9.50	10.80	12.50	-	d1 - max
k - max	2.20	2.60	2.80	3.05	3.55	3.95	4.55	-	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	1	2	2	2	2	3	3	-	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity   Weight (KG) per 1,000								L- Length ins
	9.5	40,000   1,000   0.53	24,000   1,000   0.85	15,000   1,000   1.02					
13	28,000   1,000   0.59	20,000   1,000   0.92	14,000   1,000   1.17	14,000   1,000   1.48	8,000   1,000   2.16	5,500   1,000   2.64			1/2
16	19,000   1,000   0.70	18,000   1,000   1.08	14,000   1,000   1.36	11,000   1,000   1.65	7,500   1,000   2.40	5,000   1,000   2.95			5/8
19	15,000   1,000   0.88	15,000   1,000   1.20	12,000   1,000   1.54	10,000   1,000   1.87	7,000   1,000   2.62	5,000   1,000   3.61	4,000   500   4.86		3/4
22		14,000   1,000   1.39	11,000   1,000   1.73	8,000   1,000   2.11	6,500   1,000   2.89	5,000   500   3.70	4,000   500   5.50		7/8
25		12,500   1,000   1.53	10,000   1,000   1.91	8,000   1,000   2.28	6,000   1,000   3.17	4,500   500   4.18	3,000   500   6.31		1
32		8,000   1,000   1.85	6,000   1,000   2.26	6,000   1,000   2.85	4,000   500   3.75	3,500   500   5.00	2,500   250   7.43		1 1/4
38		6,000   500   2.16	5,000   500   2.70	5,000   500   3.16	4,000   500   4.50	3,000   250   5.95	2,250   250   8.23		1 1/2
45				3,500   500   3.64	3,000   250   5.01	2,500   250   6.47	2,000   250   9.13		1 3/4
50				3,000   500   3.98	2,500   250   5.50	2,000   250   7.20	1,500   250   10.32		2
60									2 1/2
70					2,000   250   7.30				2 3/4
75									3
80									3 1/4
90									3 1/2
100									4

Zinc Plated (CR3) - preferred and available from stock.  
 Black (CR3) - non preferred and subject to a lead time and MOQ.

Zinc Plated (CR3) & Black (CR3) - preferred and available from stock. See page 287 for further detail.

PRODUCT CODE EXAMPLE	PRODUCT DESCRIPTION EXAMPLE
DFDPHPAN42190ZC	4.2 x 19.0 Cross Recess (H) Pan DIN 7504 FORM N Self-Drilling Screw Steel / Zinc Plated (CR3)
DFDPHPAN29130ZN	2.9 x 13.0 Cross Recess (H) Pan DIN 7504 FORM N Self-Drilling Screw Steel / Black (CR3)

Carbon Steel Product Ranges  
Stainless Steel Product Ranges  
Brass Product Ranges  
Technical Data


**CASTLE®**

Low priced, bulk packed, commodity size ranges

**DIN 7504****Cross Recess (H) Pan****Steel / Zinc Plated (CR3)**

RoHS 2 Compliant

# Self-Drilling Screws



Further technical data is available on page 237

**FORM N**

Dia. mm	2.9	3.5	3.9	4.2	4.8	5.5	6.3	-	Dia. mm
Dia. Gauge	4	6	7	8	10	12	14	-	Dia. Gauge
d1 - max	5.60	6.90	7.50	8.20	9.50	10.80	12.50	-	d1 - max
k - max	2.20	2.60	2.80	3.05	3.55	3.95	4.55	-	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	1	2	2	2	2	3	3	-	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity   Weight (KG) per 1,000								L- Length ins
9.5	24,000   N/A   0.85								3/8
13	20,000   N/A   0.92	14,000   N/A   1.17	14,000   N/A   1.48						1/2
16	18,000   N/A   1.08	14,000   N/A   1.36	11,000   N/A   1.65	7,500   N/A   2.40					5/8
19	15,000   N/A   1.20	12,000   N/A   1.54	10,000   N/A   1.87	7,000   N/A   2.62					3/4
22									7/8
25				8,000   N/A   2.28	6,000   N/A   3.17				1
32					4,000   N/A   3.75				1 1/4
38									1 1/2
45									1 3/4
50									2
60									2 1/2
70									2 3/4
75									3
80									3 1/4
90									3 1/2
100									4

 Zinc Plated (CR3) - preferred and available from stock.

PRODUCT CODE EXAMPLE

STDPHPAN35130ZC

PRODUCT DESCRIPTION EXAMPLE

3.5 x 13.0 Cross Recess (H) Pan DIN 7504 FORM N Self-Drilling Screw Steel / Zinc Plated (CR3)

CASTLE® is a registered trade mark of Lancaster Fastener Co Ltd.

E. &amp; O. E.



© 2021, Lancaster Fastener Co Ltd. All images are copyright protected.

# Self-Drilling Screws

## Cross Recess (H) Countersunk

Steel / Zinc Plated (CR3) & Steel / Black (CR3)

RoHS 2 Compliant



Also available in A2 Stainless Steel - See page 163

Further technical data is available on page 237

### FORM P

Dia. mm	2.9	3.5	3.9	4.2	4.8	5.5	6.3	-	Dia. mm	
Dia. Gauge	4	6	7	8	10	12	14	-	Dia. Gauge	
d1 - max	5.50	6.80	7.50	8.10	9.50	10.80	12.40	-	d1 - max	
k - ref	1.70	2.10	2.30	2.50	3.00	3.40	3.80	-	k - ref	
s - A/F	-	-	-	-	-	-	-	-	s - A/F	
Recess	1	2	2	2	2	3	3	-	Recess	
L- Length mm	Bulk Carton Quantity   Small Box Quantity   Weight (KG) per 1,000								L- Length ins	
	9.5	40,000   1,000   0.38	30,000   1,000   0.60							
13	40,000   1,000   0.45	27,000   1,000   0.77	20,000   1,000   0.90	17,000   1,000   1.22	12,000   1,000   1.52				1/2	
16	30,000   1,000   0.55	22,000   1,000   0.91	18,000   1,000   1.05	15,000   1,000   1.46	11,000   1,000   2.04				5/8	
19	30,000   1,000   0.65	18,000   1,000   1.10	14,000   1,000   1.24	13,000   1,000   1.63	9,500   1,000   2.37	5,000   1,000   2.91	4,000   500   4.00		3/4	
22		15,000   1,000   1.25	14,000   1,000   1.37	11,000   1,000   1.72	7,000   1,000   2.31	5,000   500   3.34	4,000   500   4.31		7/8	
25		15,000   1,000   1.40	10,000   1,000   1.52	10,000   1,000   2.10	7,000   1,000   2.68	4,500   500   3.78	3,000   500   4.57		1	
32	9,000   1,000   1.58		8,000   1,000   1.75	7,500   1,000   2.43	5,000   500   3.02	4,000   500   4.52	2,600   500   5.24		1 1/4	
38	6,000   1,000   2.05		6,500   1,000   2.30	5,000   500   2.91	4,000   500   3.34	3,000   250   5.40	2,400   250   6.20		1 1/2	
45			4,000   500   2.68	4,000   500   3.19	3,500   500   3.75	2,000   250   6.50	1,500   250   8.00		1 3/4	
50				3,500   500   3.53	3,000   250   4.10	2,000   250   7.50	1,500   250   8.73		2	
60					3,000   500   4.39	2,500   125   5.66	1,500   250   7.53	1,500   125   10.25		2 1/2
70						1,125   125   6.60		1,200   125   11.93		2 3/4
75										3
80								1,100   125   13.49		3 1/4
90										3 1/2
100										4

Zinc Plated (CR3) - preferred and available from stock.  
 Black (CR3) - non preferred and subject to a lead time and MOQ.

Zinc Plated (CR3) & Black (CR3) - preferred and available from stock. See page 287 for further detail.

PRODUCT CODE EXAMPLE	PRODUCT DESCRIPTION EXAMPLE
DFDPHCSK29190ZC	2.9 x 19.0 Cross Recess (H) Countersunk DIN 7504 FORM P Self-Drilling Screw Steel / Zinc Plated (CR3)
DFDPHCSK48380ZN	4.8 x 38.0 Cross Recess (H) Countersunk DIN 7504 FORM P Self-Drilling Screw Steel / Black (CR3)

Carbon Steel Product Ranges  
Stainless Steel Product Ranges  
Brass Product Ranges  
Technical Data



**CASTLE®**


Low priced, bulk packed, commodity size ranges

**DIN 7504****Cross Recess (H) Countersunk**

Steel / Zinc Plated (CR3)

RoHS 2 Compliant

# Self-Drilling Screws



Further technical data is available on page 237

**FORM P**

Dia. mm	2.9	3.5	3.9	4.2	4.8	5.5	6.3	-	Dia. mm
Dia. Gauge	4	6	7	8	10	12	14	-	Dia. Gauge
d1 - max	5.50	6.80	7.50	8.10	9.50	10.80	12.40	-	d1 - max
k - ref	1.70	2.10	2.30	2.50	3.00	3.40	3.80	-	k - ref
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	1	2	2	2	2	3	3	-	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity   Weight (KG) per 1,000								L- Length ins
9.5									3/8
13	27,000   N/A   0.77	20,000   N/A   0.90	17,000   N/A   1.22					1/2	
16	22,000   N/A   0.91	18,000   N/A   1.05	15,000   N/A   1.46	11,000   N/A   2.04					
19	18,000   N/A   1.10	14,000   N/A   1.22	13,000   N/A   1.63	9,500   N/A   2.37					
22									7/8
25									1
32									1 1/4
38									1 1/2
45									1 3/4
50									2
60									2 1/2
70									2 3/4
75									3
80									3 1/4
90									3 1/2
100									4

 Zinc Plated (CR3) - preferred and available from stock.

PRODUCT CODE EXAMPLE

STDPHCSK48160ZC

PRODUCT DESCRIPTION EXAMPLE

4.8 x 16.0 Cross Recess (H) Countersunk DIN 7504 FORM P Self-Drilling Screw Steel / Zinc Plated (CR3)

CASTLE® is a registered trade mark of Lancaster Fastener Co Ltd.

E. &amp; O. E.



© 2021, Lancaster Fastener Co Ltd. All images are copyright protected.

# Self-Drilling Screws

## Washer Hexagon

Steel / Zinc Plated (CR3) & Steel / Black (CR3)

RoHS 2 Compliant



Also available in A2 Stainless Steel - See page 164

Further technical data is available on page 237

### FORM K

Dia. mm	2.9	3.5	3.9	4.2	4.8	5.5	6.3	-	Dia. mm
Dia. Gauge	4	6	7	8	10	12	14	-	Dia. Gauge
d1 - max	-	8.30	8.30	8.80	10.50	11.00	13.20	-	d1 - max
k - max	-	3.45	3.45	4.25	4.45	5.45	6.45	-	k - max
s - A/F max	-	5.50	5.50	7.00	8.00	8.00	10.00	-	s - A/F max
Recess	-	-	-	-	-	-	-	-	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity   Weight (KG) per 1,000							L- Length ins	
	9.5	18,000   1,000   1.03	16,000   1,000   1.06	12,000   1,000   1.74					
13	16,000   1,000   1.12	10,000   1,000   1.44	11,000   1,000   1.85	7,500   1,000   2.30				1/2	
16	15,000   1,000   1.40	9,000   1,000   1.62	9,000   1,000   2.07	7,000   1,000   2.67	5,000   500   3.33	2,500   500   4.96		5/8	
19	12,000   1,000   1.65	8,000   1,000   1.81	8,500   1,000   2.28	6,500   1,000   3.00	5,000   500   3.83	2,500   500   6.00		3/4	
22	12,000   1,000   1.72		7,000   1,000   2.40	5,000   500   3.40	4,000   500   4.22	2,000   500   6.10		7/8	
25	10,000   1,000   1.95	8,000   1,000   2.18	7,000   1,000   2.75	5,000   500   3.80	4,000   500   4.60	2,000   250   6.90		1	
32			5,000   500   3.23	3,500   500   4.20	3,500   500   5.50	2,000   250   8.00		1 1/4	
38			4,000   500   3.67	3,000   500   4.94	2,500   250   6.00	2,000   250   8.60		1 1/2	
45				2,500   250   5.10	2,000   250   6.91	1,800   250   9.60		1 3/4	
50				2,000   250   5.70	1,500   200   7.80	1,500   200   11.00		2	
60				1,500   125   6.71	1,500   125   8.47	900   125   12.12		2 1/2	
70					1,500   125   9.60	800   125   13.58		2 3/4	
75						750   125   15.13		3	
80					1,000   125   11.15	700   125   15.33		3 1/4	
90						500   125   17.58		3 1/2	
100						500   125   19.03		4	

Zinc Plated (CR3) - preferred and available from stock.  
 Black (CR3) - non preferred and subject to a lead time and MOQ.

See page 267 for further detail.

**PRODUCT CODE EXAMPLE**

DFDPWHM63190ZC  
 DFDPWHM35250ZN

**PRODUCT DESCRIPTION EXAMPLE**

6.3 x 19.0 Washer Hexagon DIN 7504 FORM K Self-Drilling Screw Steel / Zinc Plated (CR3)  
 3.5 x 25.0 Washer Hexagon DIN 7504 FORM K Self-Drilling Screw Steel / Black (CR3)

**CASTLE®**


Low priced, bulk packed, commodity size ranges

**DIN 7504****Washer Hexagon**

Steel / Zinc Plated (CR3)

RoHS 2 Compliant

# Self-Drilling Screws

**FORM K**

Further technical data is available on page 237

Dia. mm	2.9	3.5	3.9	4.2	4.8	5.5	6.3	-	Dia. mm
Dia. Gauge	4	6	7	8	10	12	14	-	Dia. Gauge
d1 - max	-	8.30	8.30	8.80	10.50	11.00	13.20	-	d1 - max
k - max	-	3.45	3.45	4.25	4.45	5.45	6.45	-	k - max
s - A/F max	-	5.50	5.50	7.00	8.00	8.00	10.00	-	s - A/F max
Recess	-	-	-	-	-	-	-	-	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity   Weight (KG) per 1,000								L- Length ins
9.5									3/8
13									1/2
16									5/8
19									3/4
22									7/8
25									1
32									1 1/4
38									1 1/2
45									1 3/4
50									2
60									2 1/2
70									2 3/4
75									3
80									3 1/4
90									3 1/2
100									4

 Zinc Plated (CR3) - preferred and available from stock.
**PRODUCT CODE EXAMPLE**

STDPWHM63190ZC

**PRODUCT DESCRIPTION EXAMPLE**

6.3 x 19.0 Washer Hexagon DIN 7504 FORM K Self-Drilling Screw Steel / Zinc Plated (CR3)

CASTLE® is a registered trade mark of Lancaster Fastener Co Ltd.

E. &amp; O. E.

© 2021, Lancaster Fastener Co Ltd. All images are copyright protected.





**LANCASTER**


**DIN 7504 SIMILAR**

# Self-Drilling Screws

**Cross Recess (H) Wafer Head**

**Steel / Zinc Plated (CR3) & Steel / Black (CR3)**

RoHS 2 Compliant



Further technical data is available on page 237

Dia. mm	2.9	3.5	3.9	4.2	4.8	5.5	6.3	-	Dia. mm
Dia. Gauge	4	6	7	8	10	12	14	-	Dia. Gauge
d1 - max	-	-	-	10.92	11.40	-	-	-	d1 - max
k - max	-	-	-	2.36	2.40	-	-	-	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	1	2	2	2	2	3	3	-	Recess

L- Length mm	Bulk Carton Quantity			Small Box Quantity			Weight (KG) per 1,000			L- Length ins
9.5				13,000	1,000	1.52				3/8
13				12,000	1,000	1.58				1/2
16				10,000	1,000	1.65	8,500	1,000	2.00	5/8
19				9,000	1,000	1.87	7,000	1,000	2.64	3/4
22										7/8
25				7,000	1,000	2.28	5,000	1,000	3.25	1
32				4,000	500	2.98				1 1/4
38										1 1/2
45										1 3/4
50										2
60										2 1/2
70										2 3/4
75										3
80										3 1/4
90										3 1/2
100										4

Zinc Plated (CR3) - preferred and available from stock.
  Black (CR3) - non preferred and subject to a lead time and MOQ.
  Zinc Plated (CR3) & Black (CR3) - preferred and available from stock.
 See page 267 for further detail.

PRODUCT CODE EXAMPLE	PRODUCT DESCRIPTION EXAMPLE
DFDPHFLN42160ZC	4.2 x 16.0 Cross Recess (H) Wafer Head DIN 7504 Similar Self-Drilling Screw Steel / Zinc Plated (CR3)
DFDPHFLN48190ZN	4.8 x 19.0 Cross Recess (H) Wafer Head DIN 7504 Similar Self-Drilling Screw Steel / Black (CR3)

E. & O. E.  
© 2021, Lancaster Fastener Co Ltd. All images are copyright protected.

Carbon Steel Product Ranges

Stainless Steel Product Ranges

Brass Product Ranges

Technical Data



LANCASTER


DIN 7504

# Self-Drilling Screws

Cross Recess (H) Raised Countersunk

Steel / Zinc Plated (CR3) & Steel / Black (CR3)

RoHS 2 Compliant



Further technical data is available on page 237

## FORM Q

Dia. mm	2.9	3.5	3.9	4.2	4.8	5.5	6.3	-	Dia. mm
Dia. Gauge	4	6	7	8	10	12	14	-	Dia. Gauge
d1 - max	5.50	6.80	7.50	8.10	9.50	10.80	12.40	-	d1 - max
k - ref	1.70	2.10	2.30	2.50	3.00	3.40	3.80	-	k - ref
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	1	2	2	2	2	3	3	-	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity   Weight (KG) per 1,000								L- Length ins
9.5									3/8
13									1/2
16									5/8
19	18,000   1,000   1.20	14,000   1,000   1.54	12,000   1,000   1.87						3/4
22									7/8
25	15,000   1,000   1.53	9,000   1,000   1.91	10,000   1,000   2.28	7,000   1,000   3.17					1
32									1 1/4
38									1 1/2
45									1 3/4
50									2
60									2 1/2
70									2 3/4
75									3
80									3 1/4
90									3 1/2
100									4

Zinc Plated (CR3) - preferred and available from stock.  
Black (CR3) - non preferred and subject to a lead time and MOQ.

See page 267 for further detail.

### PRODUCT CODE EXAMPLE

DFDPHRSD48250ZC  
DFDPHRSD35250ZN

### PRODUCT DESCRIPTION EXAMPLE

4.8 x 25.0 Cross Recess (H) Raised Countersunk DIN 7504 FORM Q Self-Drilling Screw Steel / Zinc Plated (CR3)  
3.5 x 25.0 Cross Recess (H) Raised Countersunk DIN 7504 FORM Q Self-Drilling Screw Steel / Black (CR3)

E. & O. E.  
© 2021, Lancaster Fastener Co Ltd. All images are copyright protected.

Carbon Steel Product Ranges

Stainless Steel Product Ranges

Brass Product Ranges

Technical Data





# Self-Drilling Screws

## Slotted Washer Hexagon

Steel / Zinc Plated (CR3) & Steel / Black (CR3)

RoHS 2 Compliant



Further technical data is available on page 237

### FORM L

Dia. mm	2.9	3.5	3.9	4.2	4.8	5.5	6.3	-	Dia. mm	
Dia. Gauge	4	6	7	8	10	12	14	-	Dia. Gauge	
d1 - max	-	8.30	8.30	8.80	10.50	11.00	13.20	-	d1 - max	
k - max	-	3.45	3.45	4.25	4.45	5.45	6.45	-	k - max	
s - A/F max	-	5.50	5.50	7.00	8.00	8.00	10.00	-	s - A/F max	
Recess	-	-	-	-	-	-	-	-	Recess	
L- Length mm	Bulk Carton Quantity   Small Box Quantity   Weight (KG) per 1,000							L- Length ins		
9.5									3/8	
13	16,000	1,000	1.12	11,000	1,000	1.85			1/2	
16				9,000	1,000	2.07	7,000	1,000	2.67	5/8
19				8,500	1,000	2.28	6,500	500	3.00	3/4
22										7/8
25				7,000	1,000	2.75	5,000	500	3.80	1
32				5,000	500	3.23				1 1/4
38										1 1/2
45										1 3/4
50										2
60										2 1/2
70										2 3/4
75										3
80										3 1/4
90										3 1/2
100										4

Zinc Plated (CR3) - preferred and available from stock  
 Black (CR3) - non preferred and subject to a lead time and MOQ.

See page 267 for further detail.

#### PRODUCT CODE EXAMPLE

DFDPSLWHM35130ZC  
 DFDPSLWHM42320ZN

#### PRODUCT DESCRIPTION EXAMPLE

3.5 x 13.0 Slotted Washer Hexagon DIN 7504 FORM L Self-Drilling Screw Steel / Zinc Plated (CR3)  
 4.2 x 32.0 Slotted Washer Hexagon DIN 7504 FORM L Self-Drilling Screw Steel / Black (CR3)





## Self-Drilling Screws

## Square Drive Pan

Steel / Zinc Plated (CR3) &amp; Steel / Black (CR3)

RoHS 2 Compliant



Further technical data is available on page 237

## FORM N SIMILAR

Dia. mm	2.9	3.5	3.9	4.2	4.8	5.5	6.3	-	Dia. mm
Dia. Gauge	4	6	7	8	10	12	14	-	Dia. Gauge
d1 - max	5.60	6.90	7.50	8.20	9.50	10.80	12.50	-	d1 - max
k - max	2.20	2.60	2.80	3.05	3.55	3.95	4.55	-	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	-	1	2	2	2	-	-	-	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity   Weight (KG) per 1,000								L- Length ins
9.5	24,000   1,000   0.85								3/8
13	20,000   1,000   0.99	14,000   1,000   1.19	14,000   1,000   1.48	8,000   1,000   2.16					1/2
16	18,000   1,000   1.08	14,000   1,000   1.43	11,000   1,000   1.65	7,500   1,000   2.40					5/8
19	15,000   1,000   1.20	12,000   1,000   1.50	10,000   1,000   1.87	7,000   1,000   2.62					3/4
22									7/8
25				8,000   1,000   2.28	6,000   1,000   3.17				1
32				6,000   500   2.85					1 1/4
38				5,000   500   3.16	4,000   500   4.31				1 1/2
45									1 3/4
50				3,000   250   3.90					2
60									2 1/2
70									2 3/4
75									3
80									3 1/4
90									3 1/2
100									4

Zinc Plated (CR3) - preferred and available from stock.  
 Black (CR3) - non preferred and subject to a lead time and MOQ.

See page 267  
 for further detail.

## PRODUCT CODE EXAMPLE

DFDPSQPAN48250ZC  
 DFDPSQPAN35190ZN

## PRODUCT DESCRIPTION EXAMPLE

4.8 x 25.0 Square Drive Pan DIN 7504 FORM N Similar Self-Drilling Screw Steel / Zinc Plated (CR3)  
 3.5 x 19.0 Square Drive Pan DIN 7504 FORM N Similar Self-Drilling Screw Steel / Black (CR3)




# Self-Drilling Screws

**T-Drive® (6-Lobe) Pan**

**Steel / Zinc Plated (CR3) & Steel / Black (CR3)**

RoHS 2 Compliant



Also available in A2 Stainless Steel - See page 165

Further technical data is available on page 237

## FORM N SIMILAR

Dia. mm	2.9	3.5	3.9	4.2	4.8	5.5	6.3	-	Dia. mm
Dia. Gauge	4	6	7	8	10	12	14	-	Dia. Gauge
d1 - max	5.60	6.90	7.50	8.20	9.50	10.80	12.50	-	d1 - max
k - max	2.20	2.60	2.80	3.05	3.55	3.95	4.55	-	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	T10	T15	T15	T20	T25	T27	T30	-	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity   Weight (KG) per 1,000								L- Length ins
9.5	40,000   1,000   0.48	24,000   1,000   0.85							3/8
13	28,000   1,000   0.64	20,000   1,000   0.92	14,000   1,000   1.23	14,000   1,000   1.48	8,000   1,000   2.16				1/2
16	19,000   1,000   0.71	18,000   1,000   1.08	14,000   1,000   1.43	11,000   1,000   1.65	7,500   1,000   2.40				5/8
19	15,000   1,000   0.77	15,000   1,000   1.20	12,000   1,000   1.54	10,000   1,000   1.87	7,000   1,000   2.62	5,000   500   3.39	4,000   500   4.96		3/4
22				8,000   1,000   2.05	6,500   1,000   2.98				7/8
25			10,000   1,000   1.92	8,000   1,000   2.28	6,000   1,000   3.17	4,500   250   4.24			1
32			6,000   1,000   2.36	6,000   1,000   2.85	4,000   500   3.78	3,500   500   4.94			1 1/4
38				5,000   500   3.16	4,000   250   4.31	3,000   250   4.39			1 1/2
45					3,000   250   5.08	2,500   250   6.40			1 3/4
50					3,000   250   3.99	2,500   250   5.37	2,000   125   7.12		2
60						2,000   250   6.45			2 1/2
70									2 3/4
75									3
80									3 1/4
90									3 1/2
100									4

Zinc Plated (CR3) - preferred and available from stock.

Black (CR3) - non preferred and subject to a lead time and MOQ.

See page 287 for further detail.

### PRODUCT CODE EXAMPLE

DFDPTXPAN48190ZC  
DFDPTXPAN55320ZN

### PRODUCT DESCRIPTION EXAMPLE

4.8 x 19.0 T-Drive® Pan DIN 7504 FORM N Similar Self-Drilling Screw Steel / Zinc Plated (CR3)  
5.5 x 32.0 T-Drive® Pan DIN 7504 FORM N Similar Self-Drilling Screw Steel / Black (CR3)


T-Drive® is a registered trade mark of Lancaster Fastener Co Ltd.  
E. & O. E.

© 2021, Lancaster Fastener Co Ltd. All images are copyright protected.



# Self-Drilling Screws

**T-Drive® (6-Lobe) Countersunk**  
**Steel / Zinc Plated (CR3) & Steel / Black (CR3)**  
 RoHS 2 Compliant



Further technical data is available on page 237

## FORM P SIMILAR

Dia. mm	2.9	3.5	3.9	4.2	4.8	5.5	6.3	-	Dia. mm
Dia. Gauge	4	6	7	8	10	12	14	-	Dia. Gauge
d1 - max	5.50	6.80	7.50	8.10	9.50	10.80	12.40	-	d1 - max
k - max	1.70	2.10	2.30	2.50	3.00	3.40	3.80	-	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	T10	T15	T15	T20	T25	T27	T30	-	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity   Weight (KG) per 1,000							L- Length ins	
9.5									3/8
13									1/2
16				15,000   1,000   1.28					5/8
19			14,000   1,000   1.27	13,000   1,000   1.44					3/4
22									7/8
25			10,000   1,000   1.65	10,000   1,000   1.88	7,000   1,000   2.49				1
32			8,000   1,000   2.00	7,500   1,000   2.35	5,000   500   3.12				1 1/4
38				5,000   500   2.70	4,000   500   3.69		2,500   250   6.66		1 1/2
45					3,500   500   4.71				1 3/4
50					3,000   250   4.79		1,500   250   8.77		2
60							1,500   125   10.39		2 1/2
70									2 3/4
75									3
80									3 1/4
90									3 1/2
100									4

Zinc Plated (CR3) - preferred and available from stock.  
 Black (CR3) - non preferred and subject to a lead time and MOQ.

See page 267 for further detail.

### PRODUCT CODE EXAMPLE

DFDPTXCSK39190ZC  
 DFDPTXCSK48500ZN

### PRODUCT DESCRIPTION EXAMPLE

4.8 x 19.0 T-Drive® Countersunk DIN 7504 FORM P Similar Self-Drilling Screw Steel / Zinc Plated (CR3)  
 5.5 x 32.0 T-Drive® Countersunk DIN 7504 FORM P Similar Self-Drilling Screw Steel / Black (CR3)

T-Drive® is a registered trade mark of Lancaster Fastener Co Ltd.  
 E. & O. E.  
 © 2021, Lancaster Fastener Co Ltd. All images are copyright protected.

